


Survey: **BI4/21**  
month: **October 2021**  
Participant-No: **0004965**  
date of issue: **23.10.21**



Referenzinstitut für Bioanalytik

diaglobal GmbH  
Dr. Rainer Schlegel  
Haus 41  
Köpenicker Str. 325  
12555 Berlin



Survey directors

Prof. Dr. C. Knabbe  
Prof. Dr. Dr. K.P. Kohse  
Prof. Dr. M. Neumaier

Head of RfB

Dr. W. J. Geilenkeuser  
Dr. A. Kessler

Bonn, 28. October 2021

## Certificate

We confirm that you have participated in the survey for neonatal bilirubin in serum.

You have met the requirements of the survey for the following analytes:

Total bilirubin (2)

**This certificate is according to the current version of the RiliBÄK valid until the end of April 2022.**

The number in parentheses characterizes the analytical method used.

The assignment of the number to the respective method and/or the respective instrument is to be taken from the total evaluation.

[http://www.rfb.bio/ce/certificate?hr=0004965&cr\\_d=B214&version=0&cur=48A0E5E6DC57473EAEAD430A65CC057A](http://www.rfb.bio/ce/certificate?hr=0004965&cr_d=B214&version=0&cur=48A0E5E6DC57473EAEAD430A65CC057A)

